

woodarq®

Specifications

ARQ® Wood Paneling Adhesive

Measurements

9 x 2.5 inches

Size: 300ml

Materials

Color: White | Beige

Appearance: Smooth Paste

Technology: Solvent Evaporation

Specs

Package: Cartridge

Open Time: 20-30 minutes

Cure Time: 24 hours

Shelf Time: 12 Months

Sag Resistance: Not more than 6 mm

Flow and Transfer: Exceeds 75% transfer after 15 minutes drying

Bond strength in peel: Exceeds 45N

Initial bond strength tensile shear (Wet and Dry): Exceeds 200 KPa at 24 hours

Bond strength in tensile shear (Wet and Dry): Exceeds 1.3 MPa

